

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	188	(server blade) with back\$1up near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:19
L2	2	1 same power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:17
L3	776	(server blade) with (ups (uninterruptible near3 power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:21
L4	85	3 same switch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:20
L5	34	(ups (uninterruptible near3 power)) same power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:22
L6	633	(uninterruptible near3 power near3 supply) with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:27
L7	16	6 same (server blade card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:37
L8	67	(uninterruptible near3 power near3 supply) near5 (server blade card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:48
L9	509	voltage near3 (divider regulator) with (server card blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:49
L10	168	voltage near3 (divider regulator) with (server blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:30

L11	276	voltage near3 (divider regulator) with (two dual) near3 outputs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:51
L12	1	11 same (server blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:51
L13	4486	voltage near3 (divider regulator) with outputs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:51
L14	8	13 same (server blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 11:52
L15	1	(server blade) same (multiple near5 states) with voltages	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:53
L16	4	(watch\$1dog near3 timer) with (shut\$4 near2 down) near5 (os (operating near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:54
L17	1	(watch\$1dog near3 timer) with (os (operating near2 system)) with (chang\$4 vary\$4 modif\$5) near5 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:55
L18	10	(watch\$1dog near3 timer) with (os (operating near2 system)) with power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:56
L19	2	(activat\$4 with (watch\$1dog near3 timer) with (sleep\$4 hibernat\$4 power\$4)) same (os (operating near2 system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 12:56
S1	1448726	server blade card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:47
S2	52	prevent\$4 near7 hot near3 swap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:48

S3	8	S1 with S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:48
S4	9	S1 same S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:49
S5	4564518	lock\$4 secur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:49
S6	163809	S1 with S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:50
S7	105588	S1 near5 S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:51
S8	27419	S6 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:51
S9	4966	S6 and "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:52
S10	74804	S5 near5 (blade server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:52
S11	2552	S10 and "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:53
S12	43242	(lock\$4 (physically near3 secur\$4)) with S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:59
S13	501	S12 and "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 09:57

S14	1597	(lock\$4 (physically near3 secur\$4)) near5 (server\$1 blade\$1) and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:00
S15	1047108	server blade	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:01
S16	66	S15 with power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:11
S17	216	hot near3 swap\$4 with S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:13
S18	2	S17 same power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:11
S19	17	S17 and "713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:17
S20	2	S17 same magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:39
S21	2230	(prevent\$4 allow\$4) near5 removal near5 S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:47
S22	61	S21 same (magnetic (physical\$4 near3 (lock\$4 secur\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:47
S23	0	S21 same magnetic not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:42
S24	59	S21 same magnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:42

S25	3	S21 same (physical\$4 near3 (lock\$4 secur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:42
S26	75	(prevent\$4 allow\$4) near5 removal with S1 same (magnetic (physical\$4 near3 (lock\$4 secur\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:52
S27	2702	S1 with power near3 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:49
S28	118	S27 same (magnetic (physical\$4 near3 (lock\$4 secur\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:49
S29	389	S1 with magnetic near3 lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:00
S30	18	S29 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 10:57
S31	44	(server blade) with magnetic near3 lock\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:01
S32	21	(server blade) near5 lock\$3 near5 chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 11:01
S33	30	(card) near5 lock\$3 near5 chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:11
S34	2	"6,822,348".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:39
S35	121	mother\$1board with (magnetic (physical\$4 near3 (lock\$4 secur\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:41

S36	18	mother\$1board with (physical\$4 near3 (lock\$4 secur\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:49
S37	4219	(mother\$1board blade server) near5 latch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:54
S38	281	S37 same magnet\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:52
S39	0	S38 same power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:50
S40	2	S38 same ((prevent\$4 allow\$4) near5 (removal (hot near3 swap\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:52
S41	0	S38 same (hot near3 swap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:52
S42	3	S38 and g06f\$.ipc.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:52
S43	77	(mother\$1board blade server) with (magnet\$2 near3 latch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:55
S44	0	S37 same hot near3 swap\$4 same chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 12:55
S45	55	S37 same chassis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:00
S46	59096	(unlatch\$4 unlock\$4 remov\$4) near5 (mother\$1board blade server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:10

S47	3768	S46 same power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:00
S48	824	S47 same prevent\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:01
S49	25	S47 same hot near3 swap\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:01
S50	26	("4071722"   "4982106"   "4999787"   "5157771"   "5210855"   "5310998"   "5317697"   "5386567"   "5473499"   "5530302"   "5568610"   "5625238"   "5664119"   "5764926"   "5796185"   "5805903"   "5862350"   "5881251"   "5898844"   "5983298"   "6069796"   "6125417"   "6138194"   "6182173"   "6232676"   "6381146").PN. OR ("6928504"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/23 13:05
S51	335	automatically near5 (unlatch\$4 unlock\$4 remov\$4) near5 (mother\$1board blade server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:10
S52	2	S51 with (low stand\$1by sleep hibernate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:16
S53	2	"6,678,162".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:55
S54	1557	system near3 power with stand\$1by near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 13:55
S55	6	S54 with (latch\$4 (physically near3 (secur\$4 lock\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:26
S56	234	power near5 (latch lock magnet) with (server blade)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:26

S57	33	S56 same ((hot near3 swap\$4) remov\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:31
S58	50	S56 same (prevent\$4 allow\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:38
S59	49	(remov\$4 stop\$4 cut\$4) with S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:40
S60	818	hot near3 swap\$4 same S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:40
S61	3	S60 same power near3 states	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:50
S62	5	remov\$4 near5 power with magnet\$2 near3 lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:50
S63	1406	remov\$4 near5 power with (latch lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 16:51
S64	25	S63 with (remov\$4 near5 S1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 17:13
S65	3	(power near3 states near7 S1) same (hot near5 swap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 17:22
S66	176	standby near3 power with S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 17:23
S67	10	S66 same (lock\$4 latch\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 17:24



S68	96	S66 same (system S1 device) near3 power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/24 09:16
-----	----	---	---	----	-----	------------------